





## Exterior Finish, Window, Door & Insulation Standards

- Tyvek house wrap around entire house, gables included
- Ice dam protection eaves
- R-21 paperback batt insulation all exterior walls
- R38 blown attic insulation
- Georgia Pacific Vinyl 4x4 siding
- Vented vinyl soffit
- Aluminum fascia
- Owens Corning TruDefinition Duration shingles limited lifetime warranty
- Plygem single hung windows

- Vinyl casement window over sink per plan
- Grids between glass
- Tip out sash Low E2 Argon filled glass with passive solar glazing 15" louvered shutters front of home only
- Dead bolts keyed alike
- Thermatru Fiberglass front door peep hole and knocker 3'0" x 6'x8" with lever action Schlage lockset
- Thermatru Steel rear door 20 minute fire rated 2'8" x 6'8" with lever action Schlage lockset
- Caulking under all exterior walls

## Cabinetry

- Merillat Spring Valley Maple recessed panel per plan
- Crown molding over all wall cabinets
- Lazy Susan in corner per plan
- Raised angle wall cabinet in corner per plan
- Raised pantry cabinet per plan
- Bank of drawers in base cabinets bathrooms
- Laminate counters with no drip edge and post form backsplash

## **Appliances**

- Range hood over stove area
- No appliances standard

## **Interior Finishes**

- Smooth wall finish painted white with hi-build primer
- Stipple finish ceiling painted white with hi-build primer
- Flush transition at ceiling line no beam
- Epoxy coated wire shelves closets & utility
- Closet organizer system in Bedroom 1 walk in closets per plan

## Floor Coverings

- Carpet 35 oz ship installed
- 5 lb rebond carpet pad ship loose
- Vinyl tile installed in the kitchen, baths, utility and foyer per plan

### Interior Doors & Trim

- 6 panel white embossed finish 32" where applicable
- Wood base & door casing white
- Mortised hinges all doors
- Lever action passage and privacy locksets
- Wood casing and jamb white with oak embossed finish all windows
- 2 1/4" mirror trim stained to match door/window trim color
- All interior decorative wood components added will match trim color







 $Oas is\ Homes\ and\ Benchmark\ Building\ \&\ Development\ reserves\ the\ right\ to\ substitute\ products\ of\ comparable\ value\ and\ performance.$ 

Specifications subject to final plans, designs, property requirements and product selection.







### Structural

- Floor joist 2 x 10 16" oc#2 SPF or better
- Floor deck 3/4" T&G screwed and glue, cut back at mate line
- Floor band joist doubled sidewall, mate line
- Ceiling 8' height throughout
- Walls exterior 2 x 6 16" oc, double top plate, ½" drywall
- Walls interior 2 x 4 24" oc ½ drywall
- Walls mate line 2 x 3 16" oc ½" drywall
- Walls exterior sheeted W/716 OSB side and end walls

## Heating & Cooling

- Heat register and boots
- Main duct and furnace not provided standard (see options)

## Warranty

• One year workmanship, 10 year structural warranty

## House Roof

- Roof truss 6/12 24" oc 50 lb roof load, 16" OC available
- Roof eave and rake 10"
- Roof sheeting 7/16"
- Roof sub fascia 2 x 6"
- Roof attic access
- Ceiling drywall 5/8"

## Plumbing Standards

- 1/2" PEX supply lines stubbed through floor per code
- PVC drain lines stubbed through floor
- Shut offs all exposed supply lines
- Delta single lever faucets, vanity, tubs, kitchen sink – lifetime warranty
- Delta spray attachment kitchen sink
- Stainless steel double bowl kitchen sink
- Proflo elongated commode and tank
- China lavs with overflows
- Fiberglass tub & shower/ enclosures, per prlan
- Freeze proof exterior faucets

### **Electrical**

- 200 amp Siemen service panel 40/40
- Copper romex 14-2 wire all general circuits
- Copper romex wire other circuits sized accordingly
- Ground fault protection per code
- Arc fault protection all bedrooms
- Prepped for gas dryer per plan
- Smoke and carbon monoxide detectors per code
- Switched receptacle in living room
- Ceiling lights, double bulb, all rooms except living room
- LED Recessed flush mount canister lights in kitchen
- Porch lights by all exterior doors
- Pendant lights over mirrors all baths
- Broan light vent combination all baths
- Range hood with light
- Attic light
- Door chime front door
- One telephone jack, choose from suggested locations
- Outside receptacle front and rear
- Tamper resistant
- All UTL circuits GFCI, all KIT circuits ARC fault AFCI, DW GFCI protected

#### **DRAWING & PERMITS**

- Site plan creation
- Initial permits: Zoning, Driveway, Septic, Well, Soil Erosion
- Complete drawings and calculations for submittal to building department
- Building permit

#### **SITE PREPARATION** (See final scope of work for items included)

- Tree clearing
- House staking
- · Gravel driveway
- Septic system
- Well
- City sewer connections, if available
- City water connections, if available
- Soil erosion control measures

#### **EXCAVATION**

- Pre-construction property inspection
- Excavation for basement, backfilling, rough grading of disturbed areas
- Positive grade around foundation for proper drainage

#### **FOUNDATION**

- 8' tall pre-cast concrete foundation walls
- 10" thick with integrated R-12.5 insulation
- Metal studs integrated into concrete wall
- Drilled for future electrical
- 10 Year basement wall warranty with R-12.5 basement wall insulation
- Foundation perimeter drain tile system
- (2) daylight operable windows
- (1) egress basement window for future bedroom or living space
- 4" Concrete floor with (1) floor drain

#### **MECHANICAL**

- Goodman 92% efficiency gas furnace—with ECM
- Goodman 13 SEER air conditioner
- Energy-saving programmable thermostat

#### **PLUMBING**

- A.O. Smith 50-gallon gas water heater
- Sump pump—cast iron

#### **ENERGY EFFICIENT**

- Roof overhangs with ventilated soffit
- Blower door tested to ensure efficiency

#### PROJECT MANAGEMENT

- Project Manager dedicated to your project from ground breaking to move-in date
- 24/7 Customer portal for access to your project updates, selections, pictures, and more

#### **CUSTOMER SERVICE & WARRANTY**

- Full-time homeowner service department
- In-house architectural designer
- Preferred lenders
- Removal of construction debris
- Pre move-in cleaning
- 10 Year Insured Transferable Structural Home Warranty
- Quality Assurance Inspection and New Home Orientation

Specifications are subject to change. See the final Scope of Work for items included for your new home.





www.NewOasisHomes.com 3791 Van Dyke Almont, MI 48003 810-798-3311



Oasis Homes and Benchmark Building & Development reserves the right to substitute products of comparable value and performance.

Specifications subject to final plans, designs, property requirements and product selection.